



Standard Guide for Providing System Evaluation for Emergency Medical Services¹

This standard is issued under the fixed designation F 1224; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

^{ε1} NOTE—Section 12, Keywords, was added editorially in June 1996.

1. Scope

1.1 This guide covers providing system evaluation for emergency medical services (1),² including authority, responsibility, objectives, approaches, data, applications, and implementation.

NOTE 1—This guide does not address evaluation for individual prehospital, hospital, or posthospital providers. (Related guides will be developed.)

2. Referenced Documents

2.1 ASTM Standards:

F 1149 Practice for the Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services³

F 1177 Terminology Relating to Emergency Medical Services³

3. Terminology

3.1 Definitions of Terms Specific to This Standard:

3.1.1 *system evaluation*—a review of the performance of emergency medical services systems by qualified, experienced individuals.

3.1.2 *minimum data set*—the minimum number of data elements required for system evaluation.

3.2 *Definitions*—See Terminology F 1177.

4. Significance of Use

4.1 This guide establishes system evaluation as an essential component of emergency medical services systems.

4.2 This guide covers the methods and materials that are necessary to evaluate quality for emergency medical services systems at both the system operations and patient care levels.

5. Authority

5.1 The authority for providing system evaluation for emer-

gency medical services rests with the entity that is ultimately legally responsible for system operation and evaluation.

6. Responsibility

6.1 The responsibility for providing system evaluation for emergency medical services systems rests with the directors of the entities specified in 5.1.

6.2 The responsibility for providing adequate financial resources and appropriate medical confidentiality for system evaluation for emergency medical services rests with the entities specified in 5.1.

6.3 Independent evaluation of individual parts of the emergency medical services system by prehospital, hospital, or posthospital providers must be integrated with and must not be substituted for system evaluation.

7. Objectives

7.1 System evaluation of quality for emergency medical services entails five objectives (2) including:

7.1.1 Setting priorities,

7.1.2 Assessing outcome,

7.1.3 Identifying problems,

7.1.4 Effecting changes, and

7.1.5 Reassessing outcome.

8. Approaches

8.1 System evaluation of quality entails approaches of structure, process, and outcome, singly or combined (3).

8.2 The approaches specified in 8.1 should be applied at both the system operations and patient care levels.

8.2.1 Applied at the system operations level (Table 1) these approaches provide a means of identifying issues that require further attention, including:

8.2.1.1 System operation, and

8.2.1.2 Individual patients.

8.2.2 Applied at the patient care level these approaches provide a means of evaluating care for patients that are specified in 8.2.1.2.

8.3 Audits performed using the approaches specified in 8.1 should examine two aspects of care, including:

8.3.1 Compliance with system standards, and

8.3.2 Appropriateness of system standards.

¹ This guide is under the jurisdiction of ASTM Committee F-30 on Emergency Medical Services and is the direct responsibility of Subcommittee F30.03 on Organization/Management.

Current edition approved July 7, 1989. Published August 1989.

² The boldface numbers in parentheses refer to the references at the end of this guide.

³ *Annual Book of ASTM Standards*, Vol 13.01.

TABLE 1 Approaches and Methods for System Evaluation for Emergency Medical Services

Evaluation Approaches	Evaluation Methods
Structure (standards)	ASTM guides (to be developed)
Process (care)	Medical direction (Guide F 1149) (1)
Outcome (results)	Intermediate: preventable morbidity (4) Final: preventable morbidity preventable mortality (5)
Combined	Preventable morbidity Preventable mortality Tracers (6) Registries (7) Generic Screens (8)

9. Data

9.1 Systemwide uniform recordkeeping constitutes an essential element of medical evaluation of emergency medical services systems.

9.2 Emergency medical services system data sources subject to uniform recordkeeping include:

9.2.1 Prehospital care: dispatches, first responders, prehospital providers, base stations;

9.2.2 Facility care: nonhospital-based emergency facilities, hospitals;

9.2.3 Posthospital care: rehabilitation facilities, home care programs; and

9.2.4 Government agencies: medical examiners.

9.3 Each source specified in 9.2 must collect and report the data contained in the minimum data set as determined by the entity specified in 5.1.

9.3.1 Data comprise three types, including:

9.3.1.1 Patient demographic data such as patient origin, etiologic factors, condition severity, and resource utilization;

9.3.1.2 System operation data such as elapsed times, patient volumes, and protocol compliance; and

9.3.1.3 Patient care data such as procedures, diagnoses, and outcomes.

10. Applications

10.1 Patients who should be considered for evaluation by emergency medical services systems include, but are not limited to, those exhibiting the characteristics identified in Table 2.

TABLE 2 Evaluation Criteria

High-Yield (8)
Deaths
High-Risk
Critical care admissions
Morbidity
Instability—Symptoms: severe pain, dyspnea, etc.
Signs: severe injury, tachypnea, etc.
Procedures: thoracostomy, air transport, etc.
Diagnoses: shock, respiratory failure, etc.
Regionalized Care
Prospective—prehospital or emergency department triage
Transfers—interfacility
Retrospective—discharges, deaths
Administrative Review
Complaint—patient, provider or third-party
Prehospital Protocol Deviation—exceeding standard of care
Patient Refusing Prehospital Care—against medical advice
Outliers
Medical—mortality, morbidity, timeliness, etc.
Administrative—diagnostic related groups, cost, etc.
Randomized

10.2 Emergency medical services systems incorporating subsystems, such as those for burn, behavioral, cardiac, pediatric, perinatal, toxicologic, or traumatic emergencies, may require categories in addition to those specified in Table 2. When required, such categories should be identified in their respective subsystem standards.

11. Implementation

11.1 Implementation of system evaluation for emergency medical services entails eight steps, including:

11.1.1 Defining existing authority, responsibility, standards, and resources,

11.1.2 Establishing goals and objectives,

11.1.3 Selecting an approach and method,

11.1.4 Assembling data,

11.1.5 Analyzing results,

11.1.6 Modifying standards,

11.1.7 Periodically disseminating findings, and

11.1.8 Continually reevaluating the system.

12. Keywords

12.1 emergency medical service; emergency medical services system; system evaluation

REFERENCES

- (1) Cayten, C. G., Evans, W. J., “EMS Systems Evaluation,” Boyd, D. R., Edlich, R. F., Micik, S., eds, *Systems Approach to Emergency Medical Care*, Norwalk, CT, Appleton-Century-Crofts, 1983, Chapter 8.
- (2) Williamson, J. W., Aronovitch, S., Simonson, L., et al, “Health Accounting: An Outcome-Based System of Quality Assurance: Illustrative Application to Hypertension,” *Bulletin of the New York Academy of Medicine*, 1975, pp. 727–738.
- (3) Donabedian, A., “Evaluating the Quality of Medical Care,” *Milbank Memorial Fund Quarterly*, 1966, Vol 44, pp. 166–206.
- (4) Pozen, M., et al, “Confirmation Parameters for Assessing Prehospital Care,” final report for the National Center for Health Services Research, Hyattsville, MD, 1980.
- (5) Rutstein, D. D., Berenberg, W., Chalmers, T. L., et al, “Measuring the Quality of Medical Care: A Clinical Method,” *New England Journal of Medicine*, 1976, Vol 294, pp. 582–584.
- (6) Kessner, D. M., Kalk, C. E., Singer, J., “Assessing Health Quality—The Case for Tracers,” *New England Journal of Medicine*, 1973, Vol 288, pp. 189–194.
- (7) Brooke, E. M., *The Current and Future Use of Registers in Health Information Systems*, Geneva, Switzerland, World Health Organization, 1974.
- (8) Shortell, S. M., Richardson, W. C., *Health Program Evaluation*, St. Louis, MO, 1978.

F 1224

The American Society for Testing and Materials takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, 100 Barr Harbor Drive, West Conshohocken, PA 19428.

This standard is copyrighted by ASTM, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (<http://www.astm.org>).